



IRONCLAD® WASH DOWN HIGH BAY

The Ironclad® Wash Down High Bay is a high performance NSF rated LED fixture that has selectable power outputs and color temperatures. The highest power setting of 200W exceeds the lumen output of a 400W HID equivalent. The unit features a corrosion resistant housing and an IP69K rating makes the WDHB ideal for harsh environments.

Specifications:

- **Power Factor:** >0.95
- **Surge Protection:** 6kV line-line, 10kV line-earth
- **CRI:** 80
- **Beam Angles:** 50° & 120°
- **Weight:** 16 lbs.
- **THD:** 20% Max
- **Watts:** Selectable - 200W/150W/ 100W/ 60W
- **Voltage:** 120-277V
- **Lumens:** 23,000 / 17,500 / 12,000 / 8,100 lm
- **LED Life:** L90 > 100,000 hours
- **Efficacy:** 135 LPW
- **Color Temperature:** Selectable - 4000K or 5000K
- **Operating Temperature:** -22°F to 122°F; -30°C to 50°C
- **Mounting:** Eye bolt, Surface & Pendant

Certifications: cULus, DLC, NSF, RoHS, IK10, NEMA4, NEMA4X, NEMA5, IP69K, IP66

Fixture Construction:

- Fixtures come standard with 6' whip
- Shatter-Resistant, high impact Polycarbonate lens
- IP69K housing made with a WF2 corrosion resistant rated epoxy resin coating
- This fixture is specifically designed for applications that require frequent hose downs with high temperatures and high pressures. With no direct exposure to screws the design of the fixture prevents harmful build up of bacteria.